



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
-----------------	-------------	----------------------	---------------------	------------------

10/535,262

12/13/2005

Wolfgang Ehrfeld

100717-669-WCG

3593

27386

7590

12/30/2009

GERSTENZANG, WILLIAM C.

NORRIS MCLAUGHLIN & MARCUS, PA

875 THIRD AVE, 8TH FLOOR

NEW YORK, NY 10022

EXAMINER

SOOHOO, TONY GLEN

ART UNIT

PAPER NUMBER

1797

MAIL DATE

DELIVERY MODE

12/30/2009

PAPER

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

<b>Office Action Summary</b>	<b>Application No.</b> 10/535,262	<b>Applicant(s)</b> EHRFELD ET AL.	
	<b>Examiner</b> Tony G. Soohoo	<b>Art Unit</b> 1797	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

### Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

### Status

- 1) ☒ Responsive to communication(s) filed on 21 August 2009.
- 2a) ☒ This action is **FINAL**.                      2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

### Disposition of Claims

- 4) ☒ Claim(s) 1,2,4,5,7-10,12-16 and 18-29 is/are pending in the application.
- 4a) Of the above claim(s) \_\_\_\_\_ is/are withdrawn from consideration.
- 5) ☐ Claim(s) \_\_\_\_\_ is/are allowed.
- 6) ☒ Claim(s) 1,2,4,5,7-10,12-16 and 18-29 is/are rejected.
- 7) ☐ Claim(s) \_\_\_\_\_ is/are objected to.
- 8) ☐ Claim(s) \_\_\_\_\_ are subject to restriction and/or election requirement.

### Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on \_\_\_\_\_ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.  
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).  
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

### Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All    b) ☐ Some \*    c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
  2. ☐ Certified copies of the priority documents have been received in Application No. \_\_\_\_\_.
  3. ☒ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

\* See the attached detailed Office action for a list of the certified copies not received.

### Attachment(s)

- |  |   |
|--|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892)            | 4) <input type="checkbox"/> Interview Summary (PTO-413)           |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948)   | Paper No(s)/Mail Date. _____                                      |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date _____  | 6) <input type="checkbox"/> Other: _____                          |

## DETAILED ACTION

### Claim interpretation


The claims recite relative angles between the opening / slot, see claim 14, and 29, since the claim does not positively establish the axes of the opening / slot (i.e. axis along the length, width, height, or some skew angle, up or down or sideways along the opening / slot) to which one measures the angle, the claim is open to its broadest reasonable interpretation. Absent any further claim limitation, it is noted that one may construct the axis of the angles as desired anywhere along the opening or slots.

### *Claim Rejections - 35 USC § 102*

1. The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.



- 2.

Art Unit: 1797

3. Claims 1-2, 4-10, 12-14, 18, 20-26, 28-29 are rejected under 35 U.S.C. 102(b) as being anticipated by Hirose et al., US 4869849.

The Hirose (et al) reference discloses a plurality of stacked plates and method of operation, see figure 4, comprising the use of:

- 1<sup>st</sup> and 2<sup>nd</sup> feed channel 6, 6,
- at least one slotted plate having at 1<sup>st</sup> and 2<sup>nd</sup> slot opening completely penetrating the slotted plate
- an aperture plate having at least one aperture slot arranged above the slot openings of the slotted plate, wherein the aperture slot(s) of the aperture plate forms a continuous opening between the slot openings (see upper and lower slot openings which are offset from one another in a top/bottom arrangement forming an overlapping, oblique, periodic pattern, and continuous opening in the markup figure)
- and wherein the slot opening of the slotted plate overlaps the first feed channel and the at least one second slot opening of the at least one slotted plate overlaps the second feed.

Further note there are additionally slotted plates, and aperture plates.

Also note that the angle between the opening and slots can define an angle of 90 degrees

Note that the device also has a support structure housing 1, see fig 1.

Note that the stacked series of plates, one of the continuous opening above an aperture plate may be defined as a mixing chamber.

Art Unit: 1797

Note that the plates are thin plates, (the term micro-structured is broad and vague since the claims do not require any particular range of dimensions)

Note that the repeating configuration of the at slot openings and the aperture provides a branching of flow.

Note that the channels 6 6 are constant in corss section.

Note that

### ***Claim Rejections - 35 USC § 103***

4. The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

5. Claims 15, 16, 19, 26 27 are rejected under 35 U.S.C. 103(a) as being unpatentable over Hirose et al., US 4869849.

The Hirose (et al) reference discloses all of the recited structure and method of operation as established above.

However the Hirose reference is silent as to the having the width of the slot being 500 or 10 micrometers in (claims 15, 27); the material in which the plates are made (claim 16); and the manner in which the plates are held together (claim 19); and the manner in which the slots are formed in its construction (claim 27).

Regarding claims 15, 26, as to the size of the aperture slots, it would have been obvious to make and use the corresponding prior art device having the slot opening channel width sized in the lower range of less than 500 micrometers or 10 micrometers or less, so as be capable to utilize smaller fluid samples in the processing step thereby minimizing waste of fluid. Since such a modification would have involved a mere change in the size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art. In *re Rose*, 105 USPQ 237 (CCPA 1955).

Regarding claim 16, the materials of metal, glass, ceramic or plastic are known materials for the construction of mixers. It would have been obvious to one having ordinary skill in the art at the time the invention was made to any of such known materials for reasons of ease of construction or material cost, since it has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In *re Leshin*, 125 USPQ 416.

Regarding claim 19, the manner of holding the plates together, as recited in the claim are a known class of structure to hold structural elements together.

Art Unit: 1797

Solder, weld, adhesive, force fit, screw, pressing or rivets are known construction elements to hold discrete structural elements together to form a single unified invention. It would have been obvious to utilize any of the known construction element to hold the Hirose's device together to provide an invention which would not fall apart into pieces.

Regarding claim 27, the manner of making the plates or making of the slots does not appear to differentiate the slotted plate element in a structural sense as long as a slot is formed and to its method of its use of the slot.

Therefore, issues as to how the slot is made, i.e. by laser or LIGA techniques has been provided with little, if any, patentable weight to the structural feature of the apparatus claims, nor provides patentable weight to the manner in which the slot affects the manipulation of the fluid. In any case, such construction techniques are old and well known as a method to provide holes and slots, thus, in light of the knowledge gleaned by the common construction techniques, it would have been obvious to a person having ordinary skill in the art to make the slot by any one of punching, embossing, milling, erosion, etching, plasma etching, laser cutting, or LIGA for use with the method of operation of the Hirose reference.

6. Claim 8 is rejected under 35 U.S.C. 103(a) as being unpatentable over Hirose et al., US 4869849 in view of Lowe et al 2004/0027915.

The Hirose et al., US 4869849 discloses all of the subject matter as discussed above. However the reference does not show the slots having a shape of a funnel or lobe (claim 8)

The Lowe et al reference (Lowe) discloses that a micro fluidic device may have multiple feed slots 2,2,2, 3,3,3 (figures 1b,2,3) which may be formed in the arrangement of being oblique (fig 1b), or funnel shaped or lobed shaped (figs 2,3).

In view of the showing of the configuration of the shapes of oblique, funnel or lobe shapes of channels which may enhance fluid current, in light of the knowledge gleaned by the prior art, it would have been obvious to a person having ordinary skill in the art to modify the parallel slot configuration of Hirose et al., US 4869849 with an oblique or funnel/lobe shape to the slots so as to provide an enhanced shape for urging fluid current interaction between the fluids within the chemical process.

7. Claim 1-2, 4-5, 7, 9-10, 12-16, 18-29 are rejected under 35 U.S.C. 103(a) as being unpatentable over JP 2002-346352 (JP'352).

The JP '352 reference discloses feed channel above 11 (not shown), slot plate 10b (with slots 12), an aperture plate 10a (with apertures 11). The JP '352



Art Unit: 1797

does not disclose a feed channel above the aperture plate 11 and being overlapping with the slot opening 12 of 10b.

The JP '352 reference shows the stacking of slots and apertures to provide mixing. It would have been obvious to one having ordinary skill in the art at the time the invention was made to provide multiple stacks of the configuration of JP '352, since it has been held that mere duplication of the essential working parts of a device involves only routine skill in the art. *St. Regis Paper Co. v. Bemis Co.*, 193 USPQ 8. The provision of multiple stacks would thereby provide feed channels which are overlapped with the slot opening and the structural configuration as required in the instant claim(s).

Regarding claims 15, 26, as to the size of the aperture slots, it would have been obvious to make and use the corresponding prior art device having the slot opening channel width sized in the lower range of less than 500 micrometers or 10 micrometers or less, so as be capable to utilize smaller fluid samples in the processing step thereby minimizing waste of fluid. Since such a modification would have involved a mere change in the size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art. *In re Rose*, 105 USPQ 237 (CCPA 1955).

Regarding claim 16, the materials of metal, glass, ceramic or plastic are known materials for the construction of mixers. It would have been obvious to one having ordinary skill in the art at the time the invention was made to any of such known materials for reasons of ease of construction or material cost, since it

Art Unit: 1797

has been held to be within the general skill of a worker in the art to select a known material on the basis of its suitability for the intended use as a matter of obvious design choice. In re Leshin, 125 USPQ 416.

Regarding claim 19, the manner of holding the plates together, as recited in the claim are a known class of structure to hold structural elements together. Solder, weld, adhesive, force fit, screw, pressing or rivets are known construction elements to hold discrete structural elements together to form a single unified invention. It would have been obvious to utilize any of the known construction element to hold the JP '352 device together to provide an invention which would not fall apart into pieces.

Regarding claim 27, the manner of making the plates or making of the slots does not appear to differentiate the slotted plate element in a structural sense as long as a slot is formed and to its method of its use of the slot. Therefore, issues as to how the slot is made, i.e. by laser or LIGA techniques has been provided with little, if any, patentable weight to the structural feature of the apparatus claims, nor provides patentable weight to the manner in which the slot affects the manipulation of the fluid. In any case, such construction techniques are old and well known as a method to provide holes and slots, thus, in light of the knowledge gleaned by the common construction techniques, it would have been obvious to a person having ordinary skill in the art to make the slot by any one of punching, embossing, milling, erosion, etching, plasma etching, laser cutting, or LIGA for use with the method of operation of the JP '352 reference.

## MICRO-EMULSIFIER

**Publication number:** JP2002346352 (A)

**Publication date:** 2002-12-03

**Inventor(s):** HONDA NOBUAKI

**Applicant(s):** YAMATAKE CORP

**Classification:**

- **International:** *B01F3/08; B01F5/08; B01F3/08; B01F5/06; (IPC1-7): B01F3/08; B01F5/08*


- **European:**

**Application number:** JP20010158631 20010528

**Priority number(s):** JP20010158631 20010528

### Abstract of JP 2002346352 (A)


**PROBLEM TO BE SOLVED:** To provide a micro-emulsifier with a simple structure capable of homogeneously producing a large amount of emulsion. **SOLUTION:** A plurality of first slit holes 11 with a predetermined width extending to one direction are formed on one surface side of a plate-like member 10 and a plurality of second slit holes 12 with a predetermined width extending to a direction crossing to the first slit holes are formed on a back surface side of the plate-like member. An opening 13 having a predetermined size is formed on a crossed part of the first slit holes and the second slit holes. A dispersion phase is urged to a plane direction of the plate-like member through the opening to liquefy it. Thereby, a monodisperse emulsion is produced.



(5) 002-346352 (P2002-346352A)



【05】



### ***Response to Arguments***

8. Applicant's arguments with respect to the claims have been considered but are moot in view of the new ground(s) of rejection. Applicant's extensive amendment has necessitated a new grounds of rejection.

### ***Conclusion***

9. Applicant's amendment to the inclusion of: slots *penetrating* the slotted plate, a *continuous* opening of the aperture plate, and the *overlap* of slot openings with the feed channel, necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within

Art Unit: 1797

TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the date of this final action.

10. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Tony G. Soohoo whose telephone number is (571) 272 1147. The examiner can normally be reached on 8AM-5PM, Tues-Fri.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Walter Griffin can be reached on 571-272-1189. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Application/Control Number: 10/535,262  
Art Unit: 1797

Page 13

/Tony G Soohoo/  
Primary Examiner, Art Unit 1797

Tony G Soohoo  
Primary Examiner  
Art Unit 1797